


ProMinent® Pneumados

ProMinent®

A pneumatic pacer valve directly drives the metering pump with compressed air. The pacing rate can be infinitely set.

At a max. stroking rate of 180 strokes per min = 500 msec per discharge stroke, the switch-on time (discharge stroke) and the switch-off relief time (suction stroke) are each to be set at approx. 250 msec. For this purpose both control screws are first closed and then opened equally so wide until the maximum pacing frequency of 180 strokes/min is reached.

For reducing the stroking rate the switch-off time (pause time) is extended.




QLD Office: Unit 1, 68 Murdoch Circuit
ACACIA RIDGE QLD 4110
Ph: (07) 3213 1900 Fx: (07) 3272 0445
Email: pfcqld@prominentfluid.com.au

Prominent Fluid Controls Pty Ltd
www.prominentfluid.com.au
Head Office: Unit 4, 4 Narabang Way
BELROSE NSW 2085
Ph: (02) 9450 0995 Fx: (02) 9450 0996
Email: sales@prominentfluid.com.au

VIC Office: 1/21-22 National Drive
HALLAM VIC 3803
Ph: (03) 8795 7430 Fx: (03) 8795 7431
Email: pfcvic@prominentfluid.com.au

Distributors Throughout Australia & New Zealand

Configuration:



Wiring diagram:

