

The ProMinent® diaLog600 pool package is the ideal system for monitoring and controlling water chemistry parameters on a pH and free chlorine basis in indoor swimming pools.

### **Applications**

- Commercial Aquatic Centres
- Learn to Swim pools
- Hydrotherapy pools

### **Features & Benefits**

- Single point calibration of probes.
- Provides optimum control of pH and chlorine levels.
- Pulse frequency relay for controlling metering pumps.
- Illuminated display.
- Backboard mounted, pre-wired and tested.
- Isolation of probes possible.
- Amperometric probe for accurate measurement of free available chlorine.
- Power relays can be configured as alarms, limit values or pulses with modulated control outputs for metering pumps.
- Analogue output 0/4-20 mA for measurement/control outputs.
- Chemical dosing stops when no flow is detected through sample line.
- Visual display of CO<sub>2</sub> flow.
- Adjustable CO<sub>2</sub> flow, up to 25 l/min.
- Water chemistry data is stored on a 512MB SD card.

### **Package Includes**

- diaLog Controller [pH/chlorine]
- pH probe & free chlorine probes
- CO, controller
- Probe holder & flow switch assembly
- Inline filter assembly
- 25m roll of sample line tube

www.prominentfluid.com.au

## Technical Data - diaLog600 Pool Package

### DULCOMETER diaLog DACb Controller

0 .... 10ppm Measuring range Chlorine

> 0 .... 14 Hq

chlorine: 0.01 ppm Resolution pH: 0.01

Accuracy 0.3% based on the full scale reading

Control characteristic P/PID control

Signal current output 3 x 0/4 ... 20 mA electrically isolated, max. load 450  $\Omega$ ,

range and allocation [measured, correction, control variable]

can be set

Control output 2 x 2 pulse frequency outputs for metering pump control

2 relays [limit value, 3-point step or pulse length control]

2 x 0/4 ... 20 mA

90-253 V, 50/60 Hz, 25 VA Electrical connection

Ambient temperature 5 ... 55°C **IP 67 Enclosure rating** 

## Components - diaLog600 Pool Package

Description	Qty	Part No.
DULCOMETER diaLog Controller	1	DACBW006VA0000010010EN
pH Probe	1	SP100-4330-DH
Chlorine probe CLE3-mA-10ppm	1	792919
Probe holder & flow switch assembly	1	DGMA311T000
Probe cable	1	1024105
Adaptor PVC 1/2" to 8 x 5mm	1	PA07221061
PE tube 25mm 8 x 5mm	1	A25251004
Filter assemby	1	3240T0235
Backboard 600 x 500mm White LDPE	1	A35082644
pH 4 Buffer	1	506251
pH 7 Buffer	1	506253

# Package Dimensions

- 630 x 570 x 130mm [H x W x D]
- Weight 10.5kg [unpacked]

#### SYDNEY OFFICE

Unit 4, 4 Narabang Way, BELROSE NSW 2085 P 02 9450 0995 F 02 9450 0996 sales@prominentfluid.com.au

### QUEENSLAND OFFICE

Unit 1, 68 Murdoch Circuit. ACACIA RIDGE QLD 4110 P 07 3213 1900 F 07 3272 0445 pfcqld@prominentfluid.com.au

### **■ VICTORIA OFFICE**

Unit 1/21-22 National Drive HALLAM VIC 3803 P 03 8795 7430 F 03 8975 7431 pfcvic@prominentfluid.com.au

### **WESTERN AUSTRALIA OFFICE**

Office 11, 34 Welshpool Road Welshpool WA 6106 E: pfcwa@prominentfluid.com.au